



BMW Annual Report Details

Application Id: 7515574

Particulars of the Occupier	
Annual report submit for year:	2019
Name of the authorized person:	Rajat Goyal
Name of HCF or CBMWTF:	Eye Q Vision Pvt. Ltd
Address for Correspondence:	Dabwali Road
Address of Facility:	NEAR NEW ANAJ MANDI DABWALI ROAD SIRSA
Tel. No.:	9050672907
Fax. No.:	-
E-mail ID:	opsmgr.sirsa@eyeqindia.com
URL of Website:	
GPS coordinates of HCF of CBMWTF:	
Ownership of HCF or CBMWTF:	Private
Status of Authorization under the BMW (Management and Handing) Rules:	
Authorization No.:	
Valid Upto:	27/04/2018
Status of Consents under Water Act and Air Act.:	
Valid Upto:	31/03/2021

Health Care Facilities Details	
HCF/CBMWTF Type:	HCF
No. of Beds(for Bedded Hospital):	2
Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	00
Licence Number:	00
Licence date of expiry:	

Quantity of Waste Generated	
Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	
Yellow Category:	9
Red Category:	00
White Category:	00
Blue Category:	00
General Solid Waste:	47

Storage, Treatment, Transportation, Processing and Disposal Facility Details

Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0
No of vehicles used for collection and transportation of BMW:	02
Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Invision Enviro Services
Details of the on-site storage facility:	
Size:	12*11
Capacity:	12KG
Provision of on-site storage:	SAME

Disposal Facility			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)
List is Empty			

Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		
Type of waste	Quantity Generated	Where disposal
List is Empty		

BMW Management Committee	
Do you have BMW management committee:	no

Training Conducted on BMW Details	
Number of training conducted on BMW Management:	01
Number of personnel trained:	02
Number of personnel trained at the time of induction:	01
Number of personnel not undergone any training so far:	00
Whether standard manual for training is available:	no
Any other information:	

Details of the accident occurred	
No. of accident occurred:	00
Number of the persons affected:	00
Remedial Action taken:	N/A
Any Fatality occurred, details:	N/A

Other Details	
Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	N/A
Details of Continuous online emission monitoring systems installed:	N/A

Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	N/A
It the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	N/A
Any other relevant information:	WE FOLLOW ALL THE INTRUCTIONS BY HSPCB