

**Form - IV**  
(See rule 13)  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Mr. Ashish Shukla
	(ii) Name of HCF or CBMWTF	:	EYE & VISION Pvt Ltd.
	(iii) Address for Correspondence	:	B-60, Sector B
	(iv) Address of Facility	:	Aligarh, U.P.
	(v) Tel. No, Fax. No	:	
	(vi) E-mail ID	:	
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 4242/BMW-1143/16 .....valid up to 31/12/2022
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 31/12/2022
	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:.....03
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	31/12/2022
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	-6 Kg per day

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF :	6 Kg/day																																																						
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) :	Yellow Category : 225 kg Red Category : 225 kg White: 12 kg Blue Category : 15 kg General Solid waste: 720 kg																																																						
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																							
	(i) Details of the on-site storage facility :	Size : 300 Ltr. Capacity : 300 Ltr. Provision of on-site storage : (cold storage or any other provision)																																																						
	(ii) Details of the treatment or disposal facilities :	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr><td>Incinerators</td><td>—</td><td>—</td><td>—</td></tr> <tr><td>Plasma Pyrolysis</td><td>—</td><td>—</td><td>—</td></tr> <tr><td>Autoclaves</td><td>✓</td><td>—</td><td>—</td></tr> <tr><td>Microwave</td><td>✓</td><td>—</td><td>—</td></tr> <tr><td>Hydroclave</td><td>—</td><td>—</td><td>—</td></tr> <tr><td>Shredder</td><td>—</td><td>—</td><td>—</td></tr> <tr><td>Needle tip cutter or destroyer</td><td>✓</td><td>—</td><td>—</td></tr> <tr><td>Sharps</td><td>—</td><td>—</td><td>—</td></tr> <tr><td>encapsulation or concrete pit</td><td>—</td><td>—</td><td>—</td></tr> <tr><td>Deep burial pits:</td><td>—</td><td>—</td><td>—</td></tr> <tr><td>Chemical disinfection:</td><td>✓</td><td>—</td><td>—</td></tr> <tr><td>Any other treatment equipment:</td><td>—</td><td>—</td><td>—</td></tr> </tbody> </table>			Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators	—	—	—	Plasma Pyrolysis	—	—	—	Autoclaves	✓	—	—	Microwave	✓	—	—	Hydroclave	—	—	—	Shredder	—	—	—	Needle tip cutter or destroyer	✓	—	—	Sharps	—	—	—	encapsulation or concrete pit	—	—	—	Deep burial pits:	—	—	—	Chemical disinfection:	✓	—	—	Any other treatment equipment:	—	—	—
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																																					
Incinerators	—	—	—																																																					
Plasma Pyrolysis	—	—	—																																																					
Autoclaves	✓	—	—																																																					
Microwave	✓	—	—																																																					
Hydroclave	—	—	—																																																					
Shredder	—	—	—																																																					
Needle tip cutter or destroyer	✓	—	—																																																					
Sharps	—	—	—																																																					
encapsulation or concrete pit	—	—	—																																																					
Deep burial pits:	—	—	—																																																					
Chemical disinfection:	✓	—	—																																																					
Any other treatment equipment:	—	—	—																																																					
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. :	Red Category (like plastic, glass etc.)																																																						
	(iv) No of vehicles used for collection and transportation of biomedical waste :	SMC Watergall MediWaste Management Pvt Ltd. One UP 32 EM 1842																																																						
	(v) Details of incineration ash and ETP sludge generated and disposed :	<table border="1"> <thead> <tr> <th>Quantity generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> </tbody> </table>			Quantity generated	Where disposed																																																		
Quantity generated	Where disposed																																																							

	during the treatment of wastes in Kg per annum	Incineration By CMS Watergate Ash Melville Management Pvt. Ltd. ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	
	(vii) List of member HCF not handed over bio-medical waste.	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	one time quarterly
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	4 Trainings Per Annum
	(ii) number of personnel trained	2
	(iii) number of personnel trained at the time of induction	
	(iv) number of personnel not undergone any training so far	
	(v) whether standard manual for training is available?	
	(vi) any other information)	
8	Details of the accident occurred during the year	N/A
	(i) Number of Accidents occurred	—
	(ii) Number of the persons affected	—
	(iii) Remedial Action taken (Please attach details if any)	—
	(iv) Any Fatality occurred, details.	
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	—
	Details of Continuous online emission monitoring systems installed	—
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	
11	Is the disinfection method or sterilization meeting the log 4	

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

1/Jan/2020 To 31 Dec 2020

Name and Signature of the Head of the Institution

Date:  
Place

19/11/2020  
Lucknow:

Signature  
B-60200-1/110.00  
LUCKNOW (U.P.)