COMPRENENTIAL EYE EXAMINATIONS & LATEST FACILITIES FOR

PHACO (STICH ESS CATARACT SURES RV

EYOPTE LASE (ASER (SPECTACLE REACHAL)

ANTANA MA TELALINEA

*CONTACT LENSES

SUPER-SPECIALITY CLINIC FOR

CORNE A

THE TIME

"GLAUCCRIA

TROUBLY & OCCUPANTY

"PREDIATRIC & NEURO OFFITHALMOLOGY

To,

The Regional Scientific Officer,

Uttarakhand Pollution Control Committee,

Awas Vikas Road, Bhotia Parao,

Haldwani, Uttarakhand-263139

Subject: Biomedical Waste Annual report (1st January 2022 to 31st December 2022) submission In form IV.

Respected Sir,

Kindly find the enclosed annual report of Biomedical waste for a period of 1st January 2022 to 31st December 2022 of Eye Q Vision Private Limited, Bhotia Parao, 8/6, Bareilly - Nainital Rd, opp. Taxi Stand, Subhash Nagar, Haldwani, Uttarakhand 263139

Thanking you,

Yours Eaithfully

Dr. Mahesh Mathur

Clinical Incharge

Eve O Vision Private Limited,

Bhotia Parao, 8/6, Barcilly - Nainital Rd

opp. Taxi Stand, Subhash Nagar,

Haldwani, Uttarakhand 263139

EYE-Q VISION PRIVATE LIMITED

Corporate Office: First Floor, Nursing Home 1, Sector - 46, Gurgaon - 122 002 1 Tel - 0124-4245460

CIN NO. U85121DL2006PTC152865

Registered Office: UG1, Suneja Tower 1, Janakpuri District Center, Janakpuri, Delhi-110058

Website: www.eyegindia.com

EYE. Q

Dated: 27th June'23

SUPER SPECIALITY TYE HOSPITALS

Form – IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical

SI. No.	Particulars			
1	Particulars of the C			
	Particulars of the Occupier			
	(i) Name of the authorized person (occupier or : operator of facility)	·-	Mr. M. J. S.	
			Mr. Megh Shyam	
	(ii) Name of HCF or CBMWTF		TVF o	
	(iii) Address for Correspondence	:	EYE Q VISION PVT. LTD.	
		;	Bhotia Paraow, 8/6, Bareilly - Nainital Rd, opp. Taxi	
	(iv) Address of Facility	:	Stand, Subhash Nagar, Haldwani, Uttarakhand -263139 Same As Above	
	(v)Tel. No, Fax. No	:	8468844844	
	(vi) E-mail ID			
	(vii) URL of Website		megh.shyam@eyeqindia.com www.eyeqindia.com	
	(viii) GPS coordinates of HCF or CBMWTF	:	www.eyeqindia.com	
		-		
	(ix) Ownership of HCF or CBMWTF	:	Private Ltd.	
	(x). Status of Authorization under the Bio-	-		
	Medical	:	Authorization No.:BMW/22/1227-454	
	Waste (Management and Handling) Rules			
	(xi). Status of Consents under Water Act and		06/08/2022 Valid up to: 31/03/2027	
	Air	:	Valid up to: NA	
	Act			
2				
	Type of Health Care Facility	:	Private	
	(i) Bedded Hospital	:	No. of Beds: 02	
	(ii) Non-bedded hospital	:		
	Clinical Laboratory or Research Institute or			
	Veterinary Hospital or any other)			
	(iii) License number and its date of expiry	:		
3	Details of CBMWTF	:		
	(i) Number of health care facilities	:		
	covered by CBMWTF			
	(ii) No. of Beds covered by CBMWTF	1:		
and the state of t	(iii) Installed treatment and disposal	1:		
	capacity of CBMWTF;			
		1.		
	(iv) Quantity of bio medical waste	:		
and a second second second second second	treated or disposed by CBMWTF	1:	Vollay Catagory 4 Va	
4	Quantity of waste generated or disposed in		Yellow Category: 4 Kg	
	Kg per Annum (on monthly average basis)		Red Category: 3 Kg	
			White: 0.2 Kg	
			Blue Categray, 1 Kg	
			ઉરાક્ષની જેટીમાં Washe: 100 Kg	
-5	Details of the Storage, Treatment, Transporte Details of the Storage, Treatment, Transporte Details of the on-site storage	Helh	ि। १८८६ इसे मिस् कार्स क्रांस्ट्र कार्स किरम्	
1.00	a free it of the Storton Healthchi, Heilightin		40 40	

	A Commission of the Commission			Capacity 30 Kg				
	(6)	Dixposul		Provision of on site storage (Cold storage or any other provision)				
		Disposal facilities						
				Type of treatment equipment	No of Units	Capacity Kg/day	per	
				Incinerators			annum	
				Plasma		A STATE OF THE PARTY OF THE PAR	Age and reference of The	
				Pyrolysis				
				Autoclaves				
				Microwave				
				Hydro clave		PRODUCTION CONTRACTOR		
				Shredder				
				Needle tip				
				cutter or				
				Destroyer				
				Sharps				
				Encapsulation or concrete Pit				
		,		Deep burial Pits				
				Chemical disinfection:				
				Any other treatment equipment:				
	(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) SMS Watergrace Mediwaste Management				
	(iv)	No. of Vehicles used for collection and transportation of biomedical waste	;	UK 06 TA 262	6			
	(v)	Details of incineration ash and ETP sludge generated and disposed during the treatment of			Quan	,	Where disposed	
				Incineration	Gene			
				Ash				
		wastes in Kg per annum		ETP Sludge				
		Blo.		err arange				
	(vi)	Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of						
	(vii)	List of member HCF not handed over bio-medical waste.		One Hour Ous	One Hour Quarterly			
6	Do you hi	ave bio-medical waste		One from Qua				
		ant committee? If yes, attach						
	minutes of the meetings held during the							
	reporting	t and		and the second s				

1	Details trainings conducted on BMW	
A CONTRACTOR OF THE PARTY OF TH	(i) Number of trainings conducted on BMW Management	04 Training per annum
and a real national designation	(ii) Number of personnel trained	02
	(iii) Number of personnel trained at the time of induction	
	(iv) Number of personnel not undergone any training so far	
	(v) Whether standard manual for training is available?	
8	Details of the accident occurred during the Year	
	(i) Number of Accidents occurred	NΛ
	(ii) Number of persons affected	NΛ
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	
	Details of Continuous online emission monitoring systems installed	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 01/01/2022 TO 31/12/2022

Date: June 27, 2023

Place: Haldwani

(Cluster Commercial Manager)