COMPREHENSIVE EYE EXAMINATIONS & LATEST FACILITIES FOR

*PHACO (STICHLESS CATARACT SURGERY)
*ZYOPTIX LASIK LASER (SPECTACLE REMOVAL)

*PHAKIC IOL

*TRAUMA

*CONTACT LENSES

SUPER-SPECIALITY CLINIC FOR

*CORNEA

*RETINA

*GLAUCOMA

'SQUINT & OCULOPLASTY

*PAEDIATRIC & NEURO OPHTHALMOLOGY



EYE-Q SUPER-SPECIALITY EYE HOSPITALS

Date -14th May 2024

To,

The Regional Scientific Officer,

Uttar Pradesh Pollution Control Board,

Panki –Kalyanpur Road, Phase –III, Awas Vikas Colony-3,

Sadbhavana Nagar, Kanpur.

Subject: - Submission of Annual Biomedical Waste Report in Form IV (1st Jan 2023 to 31st Dec 2023)

Respected Sir/Madam,

We, Eye –Q Vision Private Limited, situated 113/57, Mall Rd, Opposite Motijheel, Next to Allahabad Bank, Opposite Motijheel, Khalasi Line, Swaroop Nagar, Kanpur, Uttar Pradesh 208001 holding certificate under pollution control board via authorization no- 14080755 valid till 28/11/2024 hereby submitting the annual report for biomedical waste in form IV for the period of 01st January 2023 to 31st December 2023.

Thanking You!

Yours Sincerely

Eye -Q Vision Private Limited

Authorized Signatory

Swaroop Nagar



EYE-Q VISION PRIVATE LIMITED

Corporate Office: First Floor, Nursing Home 1, Sector - 46, Gurgaon - 122 002 | Tel.: 0124-4245460

CIN NO. U85121DL2006PTC152865

Registered Office: "UG1, Suneja Tower 1, Janakpuri District Center, Janakpuri, Delhi- 110058"

Waheita: www evenindia com



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone :2400852, 2400851, Fax:0651- 2400850

http://www.uppcb.com/

FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

1. File no. of authorisation and date of issue: No:- 1,4080755 and Date:-29/11/2021

2. M/s EYE Q VISION PRIVATE LIMITED, RAJAT GOEL an occupier or operator of the facility located at 113/57, Swaroop Nagar, Kanpur, KANPUR NAGAR, 208001 is hereby granted an authorisation for:

Generation, segregation

Collection

Transportation

Reception
Recycling
Packaging
Treatment or Processing or
Conversion

Any other form of handling

- 3. M/s EYE Q VISION PRIVATE LIMITED is hereby authorized for handling of biomedical waste as per the capacity given below:
 - (i) Number of beds of HCF: 02
 - (ii) Number of health care facilities covered by CBMWTF: NA
 - (iii) Installed treatment and disposal capacity: NA
 - (iv) Area or distance covered by CBMWTF: NA
 - (v) Quantity of Biomedical waste handled, treated or disposed: 1.0 Kg/Day
- 4. This authorisation shall be in force for a period of 03 Years from the date of issue.
- 4.1 The authorization shall be valid for till 28/11/2024

Dr. Anil Kumar Digitally signed by Dr. Anil Kumar Mathur

5. This authorisation is subject to the conditions stated below and to sumether conditions that the rules for the time being in force under the Environment (Protection) Act, 1986

Date: 29/11/2021

Place: REGIONAL OFFICE, U.P. POLLUTION CONTROL BOARD, 5243, SADBHAVNA NAGAR, AVAS VIKAS - 3, KALYANPUR, KANPUR NAGAR. Dr. A.K. Mathur Regional Officer

Terms and Conditions of Authorisation

- 1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
- 2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
- 3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
- 4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
- 5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
- 6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

Specific Conditions:

The Authorization shall be complied under the provisions of the Environment (Protection) Act 1986 and the rules made there under. The Authorization or its renewal shall be produced for inspection at the request of an officer, Authorized by the prescribed authority.

- 1: HCF shall comply with the direction issued by Board vide letter No H-58049/C-6/Sa-35/Covid-19/2021 dated 28.01.2021 in compliance of Hon'ble NGT order in Original Application No. 72/2020 dated 18.01.2021...
- ..."In compliance with the Biomedical Waste Management Rules, 2016, every biomedical waste management facility must With regard to the implementation of Biomedical Waste Management Rule, 2016, installation of ETP is mandatory for above 10-bedded hospitals."
- 2. HCF shall comply with the provisions of Air (Prevention and Control of Pollution) Act, 1981 & Water (Prevention and Control of Pollution) Act, 1974.
- 3. This consent is only valid if the hospital is located in conforming area as per Master Plan of the city.
- 4. The Authorized person shall not rent, lend, transfer or otherwise transport the Bio Medical waste without obtaining prior permission of the prescribed authority.
- 5. It is duty of the Authorized person to take prior permission of the Board to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
- 6. Any unauthorized change in personnel, equipment of working condition as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- 7. Bio Medical waste shall not be mixed with other waste.
- 8. Bio Medical waste shall be segregated into containers, bage at the point of generation in accordance with schedule I. Prior to its storages, transportation, treatment and disposal. The Containers shall be labeled according to schedule IV.
- 9. No untreated bio medical waste shall be kept stored beyond a period of 48 hours
- 10. You shall submit an annual report to the U.P. Pollution Control Board in from IV by 31st January every year. And include information about the categories and quantities of Bio Medical waste during the preceding year.
- 11. You shall maintain records related to the generation, collection, reception storage, Transportation, treatment and disposal and or any form of handling of Bio Medical Waste in accordance with rule and guidelines, all records shall be subject to inspection and verification by the Board at any time.
- 12. It is within the power and functions of U.P. Pollution Control Board to modify, revoke the terms and conditions of Authorization and issued under the Rule 10 of the Bio Medical Waste Management Rules, 2016.
- 13. You are hereby directed to comply the stipulated above mentioned conditions and submit the compliance report and steps taken in this regard within a month so that capacity of the facility may be verified failing which the authorization may be revoked and necessary legal proceeding shall be initiated.
- 14. The occupier shall ensure compliance of Consent granted by Board under the provisions of Water (Prevention and Control of Pollution) Act. 1974 as amended and Air (Prevention and Control of Pollution) Act. 1981 as amended.

Memo No.: 14080755

Dated:29/11/2021

Dr. Anil Kumar Anil Kumar Mathur Date: 2021.11.29

Copy To: CEO - 2, U.P.Pollution Control Board, TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010.

Form – IV' (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI. No.	Particulars		26020		
1	Particulars of the Occupier				
	(i) Name of the authorized person (occupier	1:	Mr. Megh Shyam		
	or : operator of facility) (ii) Name of HCF or CBMWTF	. 1	Auto planes		
		: *	EYE Q VISION PVT. LTD.		
	(iii) Address for Correspondence	:	113/57, Mall Rd, Opposite Motijheel, Next to Allahabad Bank, Opposite Motijheel, Khalasi Line, Swaroop Nagar Kanpur, Uttar Pradesh 208001		
	(iv) Address of Facility	:	Same As Above		
	(v)Tel. No, Fax. No	: '	8468844844		
	(vi) E-mail ID		megh.shyam@eyeqindia.com		
	(vii) URL of Website	:	www.eyeqindia.com		
	(viii) GPS coordinates of HCF or CBMWTF	:	LE LUCIE CONTROL DE LA CONTROL		
			Private Ltd.		
	(ix) Ownership of HCF or CBMWTF	1	Trivate Ltd.		
	(x). Status of Authorization under the Bio- Medical	:	Authorization No.: 14080755		
	Waste (Management and Handling) Rules		29/11/2021 Valid up to: 28/11/2024		
	(xi). Status of Consents under Water Act and Air	:	Valid up to: NA		
2	Act				
	Type of Health Care Facility	: '	Private		
	(i) Bedded Hospital	:	No. of Beds: 02		
	(ii) Non-bedded hospital	:	SERVICE LIVER CONTROL OF THE SERVICE		
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)				
	(iii) License number and its date of expiry	-:	The contract of the contract o		
}	Details of CBMWTF	:	NUMBER OF THE PROPERTY OF THE		
	(i) Number of health care facilities covered by CBMWTF	:	Herneforden.		
	(ii) No. of Beds covered by CBMWTF		131		
	(iii) Installed treatment and disposal capacity of CBMWTF;		100kg / month		
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	• - 1	100Kg/month		
	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)		Yellow Category: 30Kg		
			Red Category: 30 Kg		
	La sella hanna kan salah di selah se		White: 0 Kg		
	And the state of the control waste	4	Blue Category: 0 Kg		
	form to the continuous of the attack		General Solid Waste: 100 Kg		
	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility				
	(i) Details of the on-site storage		Size: 10 x 10		

	Facility			Capacity: 10 Kg			
	• 13	. B Number of a property for the factored and 88.000 km and a sense.		Provision of on-site storage: (Cold storage any other provision)			
	(ii)	Disposal facilities					Quantity Treated
				Type of treatment equipment	No of Units	Capacity Kg/day	or disposed in kg per annum
				Incinerators Plasma		Principle and April 2000	aiiiuiii
	(10)	Assertion of the state occurred and section taken (Please		Pyrolysis Autoclaves Microwave			
		ner fatal ty postmed, pecale		Hydro clave Shredder			William Control of the Control
	Ansychia Pullisach 1915 unter			Needle tip cutter or Destroyer			an and a say
	Details of monitoria	ianus? Continuous onune emission og systems instaded		Sharps Encapsulation or concrete			and the second
		ists team execution treatment of those who make those you not the standards in a year?		Pit Deep burial Pits			• 3
	SET OF	The form of the fo		Chemical disinfection: Any other treatment			
	(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	: '	gquipment: Red Category (Willworld Envir	ment:		
	(iv)	No. of Vehicles used for collection and transportation of biomedical waste	:	UP78CT1763		100 A	
	(v)	Details of incineration ash and ETP sludge generated and disposed during the treatment of		Incineration	Quantit Genera	A CONTRACTOR OF THE PARTY OF TH	ere
	(2)(1)	wastes in Kg per annum		Ash ETP Sludge	an Finance	1902 - 1918	23/22/2004
	(vi)	Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of		*			
	(vii)	List of member HCF not handed over bio-medical waste.		-	,		
	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		y	One Hour Quarterly			

7	Details trainings conducted on BMW	1	-d
	(i) Number of trainings conducted on BMW Management	z	04 Training per annum
	(ii) Number of personnel trained		02
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far		
	(v) Whether standard manual for training is available?		
8	Details of the accident occurred during the Year		4 2 4 2 2 2 2
	(i) Number of Accidents occurred		NA
	(ii) Number of persons affected		NA
Th	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details		
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		1107.10
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	ani na gar ili	Constant Michigan Next to Administrate Figure Class Classes (1886) horizon
12	Any other relevant information	io m	(Air Pollution Control Devices attached with the Incinerator)NA

Certified that the above report is for the period from 01/01/2023. TO $31/12/2\tilde{0}23$

Date: May 14, 2024

Place: Kanpur

Mrdly Megh Shyam

(Cluster Commercial Manager)