

Month	Jun-24	Bio Medical Waste Record								
Center Name	NRR									
	Red		Yellow		Blue		White (Sharp)		Total Number of Bags	Total Weight (in Kg)
Date	No: of Bags	Weight (in Kgs)	No: of Bags	Weight (in Kgs)	No: of Bags	Weight (in Kgs)	No: of Bags	Weight (in Kgs)		
01-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
02-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
03-Jun	1.00	2.00	1.00	2.00	0.00	0.00	0.00	0.00	2.00	4.00
04-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
05-Jun	1.00	2.00	1.00	3.00	0.00	0.00	0.00	0.00	2.00	5.00
06-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
07-Jun	1.00	4.00	1.00	3.00	0.00	0.00	0.00	0.00	2.00	7.00
08-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
09-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-Jun	1.00	0.20	1.00	0.20	0.00	0.00	0.00	0.00	2.00	0.40
11-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12-Jun	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	2.00	2.00
13-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14-Jun	1.00	0.20	1.00	0.10	0.00	0.00	0.00	0.00	2.00	0.30
15-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17-Jun	1.00	0.20	1.00	0.20	0.00	0.00	0.00	0.00	2.00	0.40
18-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19-Jun	1.00	0.20	1.00	0.10	0.00	0.00	0.00	0.00	2.00	0.30
20-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21-Jun	1.00	0.20	1.00	0.20	0.00	0.00	0.00	0.00	2.00	0.40
22-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24-Jun	1.00	0.20	1.00	0.20	0.00	0.00	0.00	0.00	2.00	0.40
25-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26-Jun	1.00	0.40	1.00	0.20	0.00	0.00	0.00	0.00	2.00	0.60
27-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28-Jun	1.00	0.20	1.00	0.20	0.00	0.00	0.00	0.00	2.00	0.40
29-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-Jun	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL	12.00	10.80	12.00	10.40	0.00	0.00	0.00	0.00	24.00	21.20